

Product information



HEL Brake Line for Volkswagen Passat MK6 1.9 TDI with 280mm & 312mm Front Discs, 2000-2005, 4-piece set, same as original


Art.Nr.: VW-4-235 / manufacturer: [HEL Performance Germany](#)



109,95 EUR / Set

incl. 19% VAT plus 7,60 EUR DHL-Shipping

 Ready for dispatch within 1-2 working days. Delivery time approx. 3-5 working days!



Product information



The fine line between victory and defeat

Every kilometer of a race track highlights just how important a well-balanced braking system is. Perfect control gives you the confidence you need, because the difference between a good driver and an average one is that one has speed under control, while the other does not. That's why here at HEL Performance, we manufacture the best brake lines, giving you the control you need for peak performance.

Every HEL Performance line is assembled in-house using the best stainless steel fittings and then crimped.

With us, you'll find the right brake line kit for your vehicle and get exactly what you expect: high-quality materials, excellent performance, and visually stunning brake lines.

HEL brake lines eliminate the spongy feel associated with rubber lines.

We use only stainless steel components for all parts of our lines—unlike other manufacturers, who use steel fittings that rust over time and pose a safety risk.

Choose your desired color and click "Add to Cart" to order your HEL brake lines.

What's Stopping You?

Brake line kits from HEL Performance come with ABE or a parts certification!

The required **hollow screws and copper gaskets** are automatically included in the line kit!

(Applies only to line kits HBFxxxx, HBRxxxx, HBCxxxx; not to custom-made individual lines)

HEL Performance **also** offers brake line kits with an **"alternative routing" option, complete with ABE approval!**

When ordering, please specify the desired line color, the vehicle type, and the vehicle's type code. (Code number under sections 2.1 and 2.2 in the vehicle registration certificate)

You can choose from 14 hose colors at no extra charge:

Transparent, Carbon Look, Black, White, Red-Transparent, Red, Orange, Yellow, Green, Blue-Transparent, Blue, Transparent-Purple, Pink

For many models, we offer various routing options:

OEM, like the original (Standard Kit): The brake lines match an original replacement part in length, number, and routing.

Alternatively, Full Length: Two lines routed directly from the brake master cylinder—one to the right and one to the left—to the brake calipers.

Alternatively, Over the Mudguard: One line runs directly from the brake master cylinder to the right brake caliper; the second runs from there over the mudguard to the left brake caliper.

You can also find stainless steel braided brake lines for other models and configurations on our website at www.helperformance.de (please click on the link)

Product information



HEL Performance Stainless Steel |

- eliminates the spongy feel at the brake lever/pedal
- more direct and precise braking response
- No line expansion at high temperatures
- Lower maintenance costs for the braking system
- Motorsports-proven technology
- Stainless steel fittings and hollow screws
- Connections can be rotated at any time, no matter how far!!!
- Stainless-steel-sheathed Teflon lines
- Perfect abrasion resistance and corrosion protection
- Original HEL quality, just as used in MotoGP, WSKB, BSB, and the IDM!

HEL Performance - Always No. 1 - What's Stopping You?

What's Included:

Stainless steel-braided brake lines with stainless steel fittings Stainless steel screws (only for ring fittings/banjo fittings) Copper sealing rings Installation instructions HEL sticker ABE or parts certification

The ABE is continuously updated. If your vehicle is not listed, or is not yet included, please contact us directly.

Note: The photos shown are examples and do not depict the brake line kit for the specified vehicle! When placing your order, you can specify your preferred hose color. The lines will then be custom-made "fresh" for you according to your preferences and specifications!

Technical Specifications:

Hose: Inner material PTFE Outer material 303/304 stainless steel & PVC protective sheathing Material of Connections /


Fitting Material 303/304 stainless steel Temperature Range -70°C to 260°C

(-158°F to 500°F) Inner Diameter 3.5 mm (0.138") Outer diameter 7.5 mm (0.295") Maximum operating pressure 290 bar (4,206 PSI) Burst pressure 870 bar (12,618 psi) Minimum bend radius 38 mm (1.496")


You can also find tips and instructions in the "Questions and Answers" section ([click the link](#)):

available options

BLK color hose



Product information



Brake fluid

Please select an option!	MOTUL DOT 3&4, 0.5 liter, instead of 8.95 only 7.60 (15.20/liter) (+7,60 EUR)	MOTUL DOT 3&4, 2 x 0.5 liter, instead of 17.90 only 13.90 (13.90/liter) (+15,20 EUR)	MOTUL-Racing RBF600 DOT4, 0.5 liter, instead of 25.25 only 16.90 (33.80/liter) (+14,40 EUR)	MOTUL-Racing RBF600 DOT4, 2 x 0.5 liter, instead of 50.50 only 28.80 (28.80/liter) (+28,80 EUR)	No thanks, no brake fluid!
---------------------------------	--	---	--	--	---