

Product information



Custom-made brake line kit for motorcycles, front wheel, 5-piece set. Datarecording-TEE-ELBOW

Art.Nr.: HEL-EL-5-TE-DAT- / manufacturer: [HEL Performance Germany](https://www.hel-performance.com)



229,90 EUR / Set

incl. 19% VAT plus 7,60 EUR DHL-Shipping

🚚 Ready for dispatch within 1-2 working days. Delivery time approx. 3-5 working days!



HEL-Performance® Brake Line Kit (RACING)

Product information



5-piece, TEE-ELBOW (h-design) front \ M10x1.00 threaded connections.

In principle, the SP202 manifold can be installed at any point in the line assembly. Like all other fittings in the HEL-Performance system, the manifold can, of course, be rotated within the hose. This should allow you to find the optimal position on any motorcycle.

The images are intended as examples. We'd be happy to advise you—just give us a call.

The fine line between victory and defeat

Every kilometer of a racetrack highlights just how important a well-balanced braking system is. Perfect control gives you the confidence you need, because the difference between a good rider and an average one is that one has speed under control, while the other does not. That's why we at HEL Performance manufacture the best lines, giving you the control you need for peak performance.

Every HEL Performance line is assembled in-house using the best stainless steel fittings and then crimped.

With us, you'll find the right brake line kit for your vehicle and get exactly what you expect: high-quality materials, excellent performance, and visually stunning brake lines.

HEL brake lines eliminate the spongy feel associated with rubber lines.

We use only stainless steel components for all parts of our lines—unlike other manufacturers, who use steel fittings that rust over time and pose a safety risk.

Choose your desired color and click "Add to Cart" to order your HEL brake lines.

What's Stopping You?

Brake line kits from HEL Performance come with ABE or a parts certificate!

The required **hollow screws and copper gaskets** are automatically included in the line kit!
(Applies only to line kits HBFxxxx, HBRxxxx, HBCxxxx; not to custom-made individual lines)

HEL Performance **also** offers brake line kits **with an "alternative routing" option** that comes **with ABE approval!**

When ordering, please specify the desired line color, vehicle type, and the vehicle's type code. (Code number under sections 2.1 and 2.2 on the vehicle registration certificate)

You can choose from 14 hose colors at no extra charge:

Transparent, Carbon Look, Black, White, Red-Transparent, Red, Orange, Yellow, Green, Blue-Transparent, Blue, Transparent-Purple, Pink

For many models, we offer various routing options:

OEM, like the original (Standard Kit): The brake lines match an original replacement part in length, number, and routing.

Alternatively, Full Length: Two lines routed directly from the brake master cylinder—one to the right and one to the left—to the brake calipers.

Alternatively, Over the Mudguard: One line runs directly from the brake master cylinder to the right brake caliper; the second runs from there over the fender to the left brake caliper.

You can also find stainless steel braided brake lines for other models and configurations on our website at www.helperformance.de (please click on the link)

HEL Performance Stainless Steel Braided Brake Line

- eliminates the spongy feeling at the brake lever/pedal
 - more direct and precise braking response
 - No line expansion at high temperatures
 - Lower maintenance costs for the braking system
 - Motorsports-proven technology
 - Stainless steel fittings and hollow screws
 - Connections can be rotated at any time, no matter how far!!!
-

Product information



- Stainless steel-sheathed Teflon lines
- Perfect abrasion resistance and corr
- Original HEL quality, just as used in MotoGP, WSBK, BSB, and the IDM!

HEL Performance - Always No. 1 - What's Stopping You?

What's Included:

Stainless steel-braided brake lines with stainless steel fittings PVC sheathing available in 14 colors at no extra charge Installation instructions HEL sticker DEKRA Parts Certificate

The ABE is continuously updated. If your vehicle is not listed, or is not yet included, please contact us directly.

Note: The photos shown are examples and do not depict the brake line kit for the specified vehicle! When placing your order, you can specify your desired hose color. The lines will then be custom-made "fresh" for you according to your preferences and specifications!

Technical Specifications:


Hose Lining Material PTFE Hose outer material 303/304 stainless steel & PVC protective sheath Connection Material / Fitting Material 303/304 stainless steel Temperature range -70°C to 260°C (-158°F to 500°F) Inner Diameter 3.5 mm (0.138") Outer diameter 7.5 mm (0.295") Maximum operating pressure 290 bar (4,206 PSI) Burst pressure 870 bar (12,618 PSI) Minimum bend radius 38 mm (1.496")

You can also find tips and instructions in the "Questions and Answers" section ([click the link](#)):

-

available options

BLK color hose

					
Transparent	Carbon look	Black	Red	Transp. red	Orange
					
Blue	Transparent blue	Kawa-Green	Yellow	Pink	Transp. purple
					
White					

Product information



BLK color fitting



Stainless steel
(natural)



Stainless steel black



Stainless steel red



Stainless steel blue



Stainless steel gold



Stainless steel green



Stainless steel
purple

BLK Stealth



Without



Stealth (+3,00 EUR)

Vehicle Information:

Vehicle data / exact length: